



Elektrotechnik Karl-Heinz Mauz GmbH

GM25-310K-6000-100-5-10 (Artikel-Nr. 860522)

EKULIT

SPECIFICATIONS:

Item	Unit	Specification
Rated voltage	VDC	3.0
Gear Ratio		1/100
Rotation		CW
Motor Position		All position in horizontal
Temperature	°C	0~30
Humidity	%	30~95
• Performance of Motor		
No-load Speed	rpm	6.000±10%
No-load Current	mA	75 (max.)
Stall Current	mA	1100 (max.)
Stall Torque	g.cm	140
• Performance of Gear motor		
Output Speed	rpm	55±10%
No-load Current	mA	100 (max.)
Stall Current	mA	1100 (max.)
Stall Torque	kg.cm	3.5
Rated Torque	g.cm	1000
Rated Current	mA	280 (max.)
Noise	dB	52
• The Dimension		
The Outside Shaft Length	mm	10
Shaft End Play	mm	0.05-0.50
Screw Size		M3.0
Dia of Shaft	mm	Ø5*D4.0

Adresse: **Felix-Wankel-Str. 35 • 73760 Ostfildern/Nellingen**

Tel: **+49-711/3414023**

Fax: **+49-711/3414024**

E-mail: **info@ekulit.de** Web site: **www.EKULIT.de**

Elektrotechnik Karl-Heinz Mauz GmbH

GM25-310K-6000-100-5-10 (Artikel-Nr. 860522)

EKULIT

DIMENSIONS :
(Unit: mm)

