




Model No.: **GP392F**

Description	: Mercury and Lead Free Alkaline Battery
Chemical System	: Zinc/Silver Oxide
Nominal Voltage	: 1.55V
Nominal Dimension	: Φ 7.90mm \times 3.60mm
Applications	: Watch(with alarm and lamp), Calculator, hearing aid , digital Thermometer etc .
Average Weight	: 0.7 g
Shelf Life	: Not less than 90% of the service capacity within first year, Not less than 85% of the service capacity within second year storage at $20 \pm 2^\circ\text{C}$ Max 85 %RH.
Date Code	: Unless otherwise specified, each cell will carry a numeric year code and an alphabetical month code.
Close Circuit Voltage	: 1.3 V(min.)(load resistor $200\ \Omega$ at $20\pm 2^\circ\text{C}$ for 0.1 to 2 seconds
Lot Acceptance Test	: 42 mAh (load $6.2\ \text{k}\Omega$ to cut off 1.2 V under $20\pm 2^\circ\text{C}$)
Service Output Test	: 160hrs (load $6.2\ \text{k}\Omega$ to cut off 1.2V under $20\pm 2^\circ\text{C}$)

Typical discharge curve at $20\pm 2^\circ\text{C}$
voltage(v)



The information (subject to change without prior notice) contained in this document is for reference only and should not be used as a basis for product guarantee or warranty. For applications other than those described here, please consult your nearest GP Sales and Marketing Office or Distributors.